

PDF - PRODUCTION OF STARCH FROM CASSAVA (*Manihot Esculanta*) AND ITS CROSS LINKED DERIVATIVES - researchcub.info **TABLE OF CONTENT**

CONTENT

Title page
Declaration
Certification
Dedication
Acknowledgment
Table of content
Abstract

CHAPTER ONE

INTRODUCTION

LITERATURE REVIEW

1.1 MEANING AND COMPOSITION OF STARCH
1.2.1 COMPLEX BRANCH CHAIN (AMILOPECTIN)
1.1.2 AMYLOSE CHAIN
1.1.3 STARCH GELATINIZATION
1.1.4 GELATINIZATION PROCESS
1.1.5 STARCH RETRO GRADATION
1.2.0 SOURCES OF STARCH
1.2.1 CASSAVA STARCH (*Manihot esculanta*)
1.2.2 ORIGIN, TYPES AND COMPOSITION OF

CASSAVA STARCH

1.2.3 ADVANTAGES OF CASSAVA STARCH

TABLE 1.0 APPROXIMATE COMPOSITION OF THE CASSAVA TUBER[10]

Fig 2.0 TABLE

1.3.0 TYPES OF STARCH
1.3.1 DEFINITION AND REASONS FOR STARCH

MODIFICATION

1.3.2 STARCH MODIFICATION
1.4.0 CROSS – LINK STARCH
1.4.1 EFFECT OF CROSS-LINKING ON STARCH
1.4.2 USES OF CROSS-LINKED STARCH

DERIVATIVES

TABLE

1.4.3 FUNCTIONS OF CROSS-LINKED

STARCH IN FOOD

1.5.0 CARBOXY METHYL STARCH

AIM AND OBJECTIVE

SIGNIFICANT OF THE STUDY

LIMITATIONS OF THE STUDY

CHAPTER TWO

2.0 MATERIALS AND METHODS

2.1.0 RAW MATERIALS USED

2.1.1 EQUIPMENT USED

2.1.2 REAGENT USED

2.2.0 METHODS OF PRODUCTION OF

CASSAVA STARCH

2.2.1 SORTIN/SELECTION

2.2.2 CLEANING/WASTING

2.2.3 PEELING/GRINDING

2.2.4 SIEVING/FILTRATION

2.2.5 DRYING/BLENDING

2.3 CASSAVA STARCH PRODUCTION

2.4.0 PRODUCTION OF CROSS-LINKED

DERIVATIVES

3.0 ANALYTICAL DETERMINATION AND RESULT

3.2.0 ANALYTICAL DETERMINATION OF MOISTURE

CONTENT OF THE PRODUCT

3.3.0 ANALYTICAL DETERMINATION OF PH OF THE

PRODUCT

3.4.0 ANALYTICAL DETERMINATION OF

ASH CONTENT

3.5.0 ANALYTICAL DETERMINATION OF

GELATINIZATION

TEMPERATURE OF THE NATIVE STARCH

CHAPTER THREE

3.6 RESULTS

CHAPTER FOUR

CONCLUSION

DISCUSSION

RECOMMENDATION

REFERENCES

ABSTRACT

The study looked into the production of starch from cassava and formulation of its cross-linked derivatives, various tests were carried out in the starch produced such as ash content, moisture content, pH value, and gelatinization temperature of the native starch produce which is higher than the cross-linked derivatives. This is as a result of reduced cohesion, rubbery elastic characteristics of starch paste to a smooth salve like and creamy past of the cross-link starch.

PRODUCTION OF STARCH FROM CASSAVA (Maihot Esculanta) AND ITS CROSS LINKED DERIVATIVES

The complete project material is available and ready for download. All what you need to do is to order for the complete material. The price for the material is NGN 3,000.00.

Make payment via bank transfer to Bank: Guaranteed Trust Bank, Account name: Emi-Aware technology, Account Number: 0424875728

Bank: Zenith Bank, Account name: Emi-Aware technology, Account Number: 1222004869

or visit the website and pay online. For more info: Visit <https://researchcub.info/payment-instruct.html>

After payment send your depositor's name, amount paid, project topic, email address or your phone number (in which instructions will sent to you to download the material) to +234 70 6329 8784 via text message/ whatsapp or Email address: info@allprojectmaterials.com.

Once payment is confirmed, the material will be sent to you immediately.

It takes 5min to 30min to confirm and send the material to you.

For more project topics and materials visit: <https://researchcub.info/> or For enquiries: info@allprojectmaterials.com or call/whatsapp: +234 70 6329 8784

Regards!!!